

נספח א' – פירוט שירותי אישור ודחיית הסכמה בסביבת Sandbox

1.א שירות Consent Approval

כתובת השירות:

<https://cobt.cal-ins.co.il/gateway/OpenFinanceSandbox/v1/consents/approval>

Request Header:

Consent-ID: Consent Id from Post Consent Response

PSU-ID: Id from Post Consent Request Header

Request Body:

```
{
  "AllAccountsInd": false,
  "ResourceIDList":
  ["310000100045391_00000H069503","360000100004200_00000H004132","310000200011791_00000
  H047714","310000200017012_00000H069508","310000200011794_00000H047717"],
  "state": "1234567890",
  "code_challenge": "1234567890",
  "code_challenge_method": "S256"
}
```

Description:

AllAccountsInd – can include true or false

If true that Request Body should to be without ResourceIDList

If false that Request Body should to be with ResourceIDList (Array of Resources of customer)

state: Same value as included in the Authorize endpoint

code_challenge: Same value as included in the Authorize endpoint

code_challenge_method: Same value as included in the Authorize endpoint – only "S256"

Response Body:

```
{
  "StatusCode": "0",
  "StatusDescription": "Success",
  "location": "WWW.TPP1.co.il?code=41f7de370e914749b64f742965bc40e0&grant\_type=authorization\_code&redirect\_uri=WWW.TPP1.co.il&state=1234567890&scope=AIS%3A2c1c1303-bf0e-48cf-b520-563e2ffba126"
}
```

2.א שירות Consent Disapproval

כתובת השירות:

<https://cobt.cal-ins.co.il/gateway/OpenFinanceSandbox/v1/consents/disapproval>

Request Header:

Consent-ID: Consent Id from Post Consent Response

PSU-ID: Id from Post Consent Request Header

Request Body:

```
{  
  "DisapprovalCode": "1",  
  "DisapprovalDesc": "Not approval"  
}
```

Description:

DisapprovalCode – Only value 1

Response Body:

```
{  
  "StatusCode": "0",  
  "StatusDescription": "Success",  
  "RedirectURI": ""  
}
```

Description:

RedirectURI – value from TPP-Nok-Redirect-URI from PostConsent Header

state: Same value as included in the Authorize endpoint

code_challenge: Same value as included in the Authorize endpoint

code_challenge_method: Same value as included in the Authorize endpoint – only "S256"